



Scapa 3370

Uncoated Rayon Cloth Tape

DESCRIPTION

Scapa 3370 is an uncoated rayon cloth tape with a pressure sensitive adhesive
Scapa 3370 is available in a variety of colours including black, natural, and white.

APPLICATIONS

- Designed for the hand application of tape for wrapping of cable and wire harnesses particularly in the automotive industry
- General protection of polished surfaces and machined parts against corrosion and damage
- General purpose applications such as packaging, masking and identification

PRODUCT BENEFITS

- Rayon cloth base provides excellent strength
- Corrosion resistant
- Abrasion resistant
- Available in a range of colours for identification applications
- Very conformable and flexible
- Easy tear by hand
- Good unwind properties
- Excellent initial tack and ultimate adhesion
- Certain colours can be supplied to DEF STAN 75-2 specification

TECHNICAL PROPERTIES

Description	Units	Nominal Value	Test Method
Thickness	mm	0.28	IEC 454-2
Tensile Strength	N/cm	80	IEC 454-2
Adhesion to Steel	N/cm	4.0	IEC 454-2
Service Temperature	°C	70	IEC 454-2
		3000hours @ 90 °C for black	Ford

STANDARD PRESENTATION

- Roll Length: 25m, 50m
- Roll Width: 19mm, 25mm, 38mm, 50mm, 75mm, 100mm
- Core: Cardboard
- Packaging: Scapa branded, bulk packed using interleaving sheets between layers.

Note: Information on stock items, non-standard sizes, and lead times is available on request.

RECOMMENDATIONS

The rolls should be stored flat on their cut edges in the original packaging, until required for use.

The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes.

Surfaces should be clean, dry and free of dust, grease, oil or other contaminants

Service life will vary with conditions of use and is affected by climatic environment, but it is recommended that the product should be used within 6 months of date of manufacture, if stored in a moderate climate and good conditions.

www.scapa.com

The information supplied is accurate to the best of Scapa's knowledge and is based upon all current data available to it. Properties quoted are typical and do not therefore constitute a specification. Customers must complete their own assessment of the product for its intended application under their own conditions. Our technical advice is to be regarded as an expression of opinion only and although such advice is given in good faith, it shall not, in any circumstances, be regarded as the basis of or as being a representation or statement of fact. This applies also where propriety or protective rights of third parties are involved. Any liability arising in respect of our products will be strictly limited to the value of those products charged to the customer and shall not extend to any consequential loss whatsoever and howsoever arising. Freedom from Patent Rights must not be assumed. This document does not form part of any contract with a customer.